

Package: Largevars (via r-universe)

November 1, 2024

Type Package

Title Largevars: An R Package for Testing Large VARs for the Presence
of Cointegration

Version 0.1.0

Author Anna Bykhovskaya [aut], Vadim Gorin [aut], Eszter
Kiss [aut, cre]

Maintainer Eszter Kiss <ekiss2803@gmail.com>

Description Runs the Bykhovskaya-Gorin test for cointegration and does
simulations for the proxy H₀
(<https://doi.org/10.48550/arXiv.2202.07150>).

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

Depends R (>= 2.10)

Suggests testthat (>= 3.0.0), tibble (>= 3.0.0), data.table (>=
1.14.0)

Config/testthat.edition 3

License MIT + file LICENSE

Repository <https://eszter-kiss.r-universe.dev>

RemoteUrl <https://github.com/eszter-kiss/largevars>

RemoteRef HEAD

RemoteSha a2e411efcf185125c688d34e7462d72f92ff4664

Contents

largevar	2
percentiles	3
quantile_tables	3
sim_function	4
s_p100_price_adj	5

Index

6

largevar

*Cointegration test for settings of large N and T***Description**

Runs the Bykhovskaya-Gorin test for cointegration. Paper can be found at: <https://doi.org/10.48550/arXiv.2202.07150>

Usage

```
largevar(
  data = NULL,
  k = 1,
  r = 1,
  fin_sample_corr = FALSE,
  plot_output = TRUE,
  significance_level = 0.05
)
```

Arguments

<code>data</code>	A numeric matrix where the columns contain individual time series that will be examined for the presence of cointegrating relationships.
<code>k</code>	The number of lags that we wish to employ in the vector autoregression. The default value is <code>k = 1</code> .
<code>r</code>	The number of largest eigenvalues used in the test. The default value is <code>r = 1</code> .
<code>fin_sample_corr</code>	A boolean variable indicating whether we wish to employ finite sample correction on our test statistic. The default value is <code>fin_sample_corr = FALSE</code> .
<code>plot_output</code>	A boolean variable indicating whether we wish to generate a plot of the empirical distribution of eigenvalues. The default value <code>plot_output = TRUE</code> .
<code>significance_level</code>	Specify the significance level at which the decision about H_0 should be made. The default value is <code>significance_level = 0.05</code> .

Value

A list that contains the test statistic, a table with theoretical quantiles presented for $r=1$ to $r=10$, and the decision about H_0 at the significance level specified by the user.

Examples

```
largevar(data=matrix(rnorm(60, mean = 0.05, sd = 0.01), 20, 3), k=1, r=1, fin_sample_corr=FALSE, plot_output=FALSE, sig
```

percentiles	<i>Quantiles for the limiting distribution of the test</i>
-------------	--

Description

A data frame containing the simulated quantiles for the test statistic used in the largevar function. More details about how these simulations were conducted can be found in Section 4 of the vignette.

Format

A data frame with 99 rows and 11 variables:

Source

Calculated through own simulations (see details in Section 4 of vignette).

quantile_tables	<i>Creates the quantile table output for largevar function</i>
-----------------	--

Description

Outputs the quantile tables from the package's corresponding vignette.

Usage

```
quantile_tables(r = 1)
```

Arguments

r Which partial sum the quantile table should be returned for. (Only r<=10 is available.) Default is r=1.

Value

A numeric matrix.

Examples

```
quantile_tables(r=3)
```

<code>sim_function</code>	<i>Empirical p-value for cointegration test</i>
---------------------------	---

Description

Runs a simulation on the H0 for the Bykhovskaya-Gorin test for cointegration and returns an empirical p-value. Paper can be found at: <https://doi.org/10.48550/arXiv.2202.07150>

Usage

```
sim_function(
  N = NULL,
  tau = NULL,
  stat_value = NULL,
  k = 1,
  r = 1,
  fin_sample_corr = FALSE,
  sim_num = 1000
)
```

Arguments

<code>N</code>	The number of time series used in simulations.
<code>tau</code>	The length of the time series used in simulations.
<code>stat_value</code>	The test statistic value for which the p-value is calculated.
<code>k</code>	The number of lags that we wish to employ in the vector autoregression. The default value is <code>k = 1</code> .
<code>r</code>	The number of largest eigenvalues used in the test. The default value is <code>r = 1</code> .
<code>fin_sample_corr</code>	A boolean variable indicating whether we wish to employ finite sample correction on our test statistics. The default value is <code>fin_sample_corr = FALSE</code> .
<code>sim_num</code>	The number of simulations that the function conducts for H0. The default value is <code>sim_num = 1000</code> .

Value

A list that contains the simulation values, the empirical percentage (realizations larger than the test statistic provided by the user) and a histogram.

Examples

```
sim_function(N=90, tau=501, stat_value=-0.27,k=1,r=1,sim_num=50)
```

s_p100_price_adj *Stock price data for example in vignette*

Description

A data frame containing weekly S&P100 prices over ten years: 01.01.2010 - 01.01.2020, The S&P100 includes 101 leading U.S. stocks of which 92 were collected here.

Format

A data frame with 522 rows and 93 variables:

Source

Refer to the data source used in: A. Bykhovskaya and V. Gorin. Cointegration in large vars. Annals of Statistics, 2022.

Index

largevar, 2

percentiles, 3

quantile_tables, 3

s_p100_price_adj, 5

sim_function, 4